





Length	110	m
R1	0.49	Ohms
X1	0.086	Ohms

FSP ID: 23/10 (P)

2-Phase System

ID	Pri Fuse-3
Manufacturer	Std. DIN VDE 0636-2
Model	gG
Rated Fuse Size	6

650/110 Tx-3

ID	650/110 Tx-3
Rating	1 kVA
Pri	0.65 kV
Sec	0.11 kV
Z	4 %
R/X	0.667

ID	LOC Case C-3
Rating, kV	0.11 kV
Rating, Amps	0.009 Amp

LOC Case C-3

LOC Case D-3

LOC Case E-3

LOC Case B-3

LOC Int-3

SchemELECT - [Edit Project : Unifilaire Page : 1 (Schematic)]

Project Page Inform Process Reports Texts Data Bases View Window ?

Alt 2.5 1:1

Explorer Management

Diagram showing a schematic layout with red and blue lines representing electrical connections. A table titled "Cabinet : TGBT" is overlaid on the diagram.

Cabinet : TGBT

Style: PC16A 2.5mm2

Table edition

RepCir	TypRecepteur	CabContenu
TD1	Transfo BTBT	3P+PE
TD2	Transfo BTBT	3P+PE

Table listing components: SOURCE, TGBT, TD1, TD2, I1, I2.

CIRCUIT INFORMATION

Connect el

Attributes	Texts
<input checked="" type="radio"/> CabContenu	3P+PE
<input type="radio"/> Cable	4G4
<input checked="" type="radio"/> ProtBase	Disj Mot
<input checked="" type="radio"/> ProtUC	Prot Base
<input checked="" type="radio"/> Texte6	MOTEUR
<input checked="" type="radio"/> zDesiCir	
<input checked="" type="radio"/> Consommation	
<input checked="" type="radio"/> NbRecept	
<input checked="" type="radio"/> Longueur	

FTZ 45, rue de la
Séneclercq - 59000 Lille
Tél : 03 20 41 15 15
Fax : 03 20 41 15 14
Email: info@ftz.fr
Internet: www.ftz.fr

SchemELECT

Titre du dossier / P

Titre du fichier / P

Library

*** Error 98 : cannot open file C:\FTZ\schem\000\DataELEC\bbl\io.lib\GENERAL.dbf